

SAMSUNG NASA SYSTEMS COMPATIBILITY LIST



Document Version : 2.2

Last Revision : 05.05.2023

App Version : 3.1

Product Code : CR-CG-SMG-KNX-01

1. PRESENTATION

In this document, compatible Samsung Nasa AC models with Core Samsung NASA Gateway (CR-CG-SMG-KNX-01) are specified.



Any AC indoor unit not specified in the list may not be compatible with Core AC Gateway. Therefore compatibility list must be checked before installation.



Any remote controller not specified in the list may not be compatible with Core AC Gateway. Therefore compatibility list must be checked before installation.



We highly recommend to pay attention to the possible updates of this document in case of any misprint, typing error and equivalent problems.



Core Smart Home undertakes maximum effort to avoid any error in the content of this document but cannot be responsible for the consequences that could arise because of any mistake in the document.

2. COMPATIBLE AC INDOOR UNITS

| CORE SAMSUNG NASA KNX GATEWAY COMPATIBLE MODELS (INDOOR UNIT) | |
|--|--|
| SEMI INDUSTRIAL | AC_RNLDKG AC_RNMDKG AC_MNMDKH AC_JNHPKH AC_KNHPKH AC_RN4PKG AC_MN4PKH AC_NN4DKH AC_RN4DKG AC_RNNDKG AC_RN1DKG AC_RNJDKG AC_RNCDKG AC_RNCDKG AC_RNTDKG AC_RNADKG |
| FREE JOINT MULTI | AJ_TNMDEG AJ_TNLDEG AJ_TNLPEG AJ_TNNDKG AJ_TN1DKG AJ_TNJDKG |

| | |
|-----|------------|
| | AM_HNMPKH |
| | AM_KNLDEH |
| | AM_FNLDEH |
| | AM_FNMDEH |
| | AM_KNMDEH |
| | AM_FNHDEH |
| | AM_FNFDEH |
| | AM_HNHPKH |
| | AM_JNHFKH |
| | AM_KNLDEH |
| | AM_MNEPEH |
| | AM_KN4DEH |
| | AM_FN2DEH |
| | AM_NN4DEH |
| | AM_FN4DEH |
| | AM_HNNDEH |
| | AM_NNNDEH |
| DVM | AM_NN1DEH |
| | AM_NN1DKH |
| | AM_HN1DEH |
| | AM_NN1PEH |
| | AM_FNCDEH |
| | AM_FNCDEH |
| | AM_JNC DKH |
| | AM_FNJDEH |
| | AM_KNJDEH |
| | AM_MNFDEH |
| | AM_RNPDKH |
| | AM_TNADKH |
| | AM_TNVDKH |
| | AM_JNVDKH |
| | AM_KNTDEH |
| | AM_JNADKH |
| | AM_KNQDEH |
| | AM_FNKDEH |

3. INSTALLATION SCENARIOS

INSTALLATION WITH SAMSUNG NASA WIRED REMOTE CONTROLLERS

Connect Core AC Gateway parallel with Samsung NASA wired remote controllers. In this method, Samsung NASA wired remote controller should be programmed as master, while Core AC Gateway programmed as slave.

INSTALLATION WITHOUT SAMSUNG NASA WIRED REMOTE CONTROLLERS

Connect Core AC Gateway directly to the F3,F4 connectors of the Samsung NASA indoor unit. In this scenario, Core AC Gateway should be programmed as Master.